

Mid Level 1/8" = 1'-0"

- PLAN NOTES**
1. CONTRACTOR TO BE FAMILIAR WITH THE GENERAL NOTES AND SPECIFICATIONS FOR ADDITIONAL INFORMATION NOT CALLED OUT ON THE PLANS.
  2. SEE ALSO CIVIL, STRUCTURAL, ELECTRICAL, MECHANICAL, PLUMBING, LANDSCAPE, FIRE ALARM, AUDIO VISUAL, FOOD SERVICE GREYWATER AND UTILITIES PLANS.
  3. SEE ALSO SPECIFICATIONS.
  4. ENTIRE BUILDING TO BE SPRINKLERED.
  5. THIS BUILDING IS DESIGNED TO MEET SPECIFIC LEED REQUIREMENTS. CONTRACTOR TO BE FAMILIAR WITH LEED AND COMMISSIONING REQUIREMENTS IN THE SPECIFICATIONS.
  6. CONCRETE STRUCTURAL SLABS ON THE CANYON LEVEL AND MID LEVEL ARE FINISHED FLOORS. CONTRACTOR TO PROTECT FLOORS FROM DAMAGE DURING CONSTRUCTION.
  7. SEE ENLARGED FLOOR PLANS FOR DETAILED DIMENSIONS, (SHEETS A-121 TO A-126) AND ADDITIONAL INFORMATION.
  8. EXTERIOR CAVITY WALLS TO HAVE R-13 INSULATION.
  9. ROOFS TO HAVE MIN. OF R-19 INSULATION.
  10. ALL METAL STUD WALLS TO BE 3-5/8" U.N.O.

**LEGEND**

	CONCRETE MASONRY UNIT (CMU) 8" OR 12" PER STRUCTURE. SEE ALSO 13B & 6/A501		CONCRETE WALL. BOARD FORM ON EXTERIOR, SHOTCRETE INTERIOR PER STRUCTURE
	CMU W/ EXTERIOR RIGID INSULATION & STUCCO FINISH. SEE 10/A501		INTERIOR 1-HOUR WALL. SEE 7/A501
	EXTERIOR, 3 5/8" METAL STUD W/ RIGID INSULATION & STUCCO FINISH. SEE 9/A501		INTERIOR WALL, 3 5/8" METAL STUD W/ 5/8" GYP BD FINISH, 5 1/2" STUDS WHERE NOTED. SEE 3/A501
	EXTERIOR, 3 5/8" METAL STUD W/ METAL CLADDING. SEE 11/A501		INDICATES BELOW GRADE RETAINING WALL
	EXTERIOR WALL W/ STUCCO FINISH, 3 5/8" METAL STUD TYP., 6" AS NOTED. SEE 1 & 5/A501		DIMENSION INDICATES DIMENSION TO FACE OF WALL
			DIMENSION INDICATES DIMENSION TO CENTER-LINE OF WALL, WINDOW, ETC.

- WINDOW DESIGNATION. SEE WINDOW SCHEDULE A-602 TO A-604 FOR INFORMATION
- DOOR DESIGNATION. SEE DOOR SCHEDULE A-605 FOR INFORMATION
- SIGN DESIGNATION. SEE SIGN SCHEDULE A-606 & DETAILS A-520 FOR INFORMATION

EXECUTIVE DIRECTOR PPC	DATE
DIRECTOR PPC	DATE
DIRECTOR PROJECT MANAGEMENT PPC	DATE
DISTRICT ARCHITECT	DATE

IDENTIFICATION STAMP  
DIV. OF THE STATE ARCHITECT  
OFFICE OF REGULATION SERVICES


04 114084

AC \_\_\_\_\_ FLS \_\_\_\_\_ SS \_\_\_\_\_  
DATE \_\_\_\_\_

APPROVED  
DIVISION OF THE STATE ARCHITECT

ACS JS FLS TB SSR CN

# 04-114084 DATE: 04.21.16



PREPARED FOR THE  
**BOARD OF EDUCATION**  
SAN DIEGO UNIFIED SCHOOL DISTRICT  
SAN DIEGO, CALIFORNIA

PREPARED BY THE  
FACILITIES PLANNING AND CONSTRUCTION  
PROJECT MANAGEMENT DEPARTMENT

Mid Level Building Plan

OCEAN DISCOVERY INSTITUTE  
**LIVING LAB**  
4255 THORN STREET  
SAN DIEGO, CALIFORNIA

**CONSTRUCTION DOCUMENTS**

PROJECT NO.	R.S.	A.P.
FILE NAME	DATE	DRAWN
	4/13/16	CHECKED
REVISIONS	CCD-005A 4.13.2016-	SHEET NO.
		A-112
		OF SHEETS

Mid Level Building Plan